

SOYBEANS



# R2C1869



Relative Maturity: **1.80**  
Genetic Placement: **OFF/def**

Primary Adaptation: **MN**  
Secondary Adaptation: **SD, WI, MI**


- > GENRR2Y line with SCN resistance
- > Excellent IDC tolerance
- > Rps1k gene for PRR resistance
- > Bushy, with good lateral branching

## Characteristics

Canopy Type	Int/Bush	Flower Color	P	Height	M
Hilum Color	IB	Oil Content	N/A	Pod Color	BR/TN
Protein Content	N/A	PRR Gene	Rps1k	Pubescence Type	GR
SCN Resistance	R3, MR14				

The data presented herein represents the most current information available, but results may vary due to environmental conditions.

© 2008 Winfield Solutions, LLC. All rights reserved. CROPLAN GENETICS is a registered trademark of Land O'Lakes, Inc.



SOYBEANS



# R2C1869



Relative Maturity: **1.80**  
Genetic Placement: **OFF/def**

Primary Adaptation: **MN**  
Secondary Adaptation: **SD, WI, MI**

## Agronomic Data



9 8 7 6 5 4 3 2 1  
**Poor** **Excellent**

The data presented herein represents the most current information available, but results may vary due to environmental conditions.

© 2008 Winfield Solutions, LLC. All rights reserved. CROPLAN GENETICS is a registered trademark of Land O'Lakes, Inc.



# R2C1869



Relative Maturity: **1.80**  
Genetic Placement: **OFF/def**

Primary Adaptation: **MN**  
Secondary Adaptation: **SD, WI, MI**

**Rating Scale:**

- 1 = Excellent
- 2-3 = Very Good
- 5 = Fair
- 6-7 = Poor
- 8-9 = Very Poor
- N/A = Not Available

**Genetic Origin:**

E = Eastern, W = Western, N = Northern, S = Southern  
*Capitalization shows dominance*

**SCN Resistance:**

R = Resistant to races listed, MR = Moderately resistant to races listed

**Emergence:**

E = Excellent, VG = Very Good, G = Good

**Canopy Type:**

Nar = Narrow, Int = Intermediate, Bush = Bushy

**Flower Color:**

P = Purple, W = White

**Pubescence Type:**

GR = Gray, TW = Tawny, LTW = Light Tawny

**Pod Color:**

TN = Tan, BR = Brown

**Hilum Color:**

- YE = Yellow/Clear
- GR = Gray
- BL = Black
- IB = Imperfect Black
- BR = Brown
- BF = Buff
- SL = Slate
- TN = Tan

*Protein and oil data collected from three or more location observations in 2006-2007, adjusted to 13 percent moisture.*

*These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new varieties are based on limited data and may change as more data is collected.*